



De Raat
security



MINI CATALOGUE 2016

Catalogue

Model	Security Cash	Rating Valuables	Fire Resistance	Page
Security safes for domestic or light business use				
Protector Premium safes	£2,000	£20,000	NONE	3
Protector Duo safe	£4,000	£40,000	NONE	4
Certified safes				
De Raat PT & ET safes	£4,000	£40,000	DIN 4102	4
De Raat Combifire fire resistant safes	£4,000	£40,000	60 minutes	5
De Raat Prisma Grade 1 safes	£10,000	£100,000	DIN 4102	6
De Raat Pro Grade 1	£10,000	£100,000	DIN 4102	7
De Raat Pro Grade 2	£17,500	£175,000	DIN 4102	7
De Raat Pro Grade 3	£35,000	£350,000	DIN 4102	7
De Raat Pro Grade 4	£60,000	£600,000	DIN 4102	7
Cupboards				
Protector fire resistant security cupboards	£2,000	£20,000	DIN 4102	8
Lloyd fire resistant security cupboards	£2,000	£20,000	DIN 4102	8
De Raat fire resistant security cupboards for laptops	£2,000	£20,000	DIN 4102	9
De Raat SDK fire resistant cupboard - sliding doors	NIL	NIL	DIN 4102	9
De Raat Combipaper fire resistant security cupboards	£4,000	£40,000	30 minutes	10
Deposit boxes and safes				
Protector Basic deposit box	NIL	NIL	NONE	11
Protector FOR 30 deposit box	NIL	NIL	NONE	11
Protector MP day deposit safe	£2,000	£20,000	NONE	11
De Raat PT & ET deposit safe	£4,000	£40,000	NONE	12
De Raat DNS (certified) deposit safe	£6 - £17.5K	£60 - £175K	NONE	12
De Raat Prisma Grade 1 & Grade 2 deposit safes	£10 - £17.5K	£100 - £175K	NONE	13
Key cabinets & safes				
Protector cylinder lock key cabinets	NIL	NIL	NONE	14
Protector electronic lock key cabinets	NIL	NIL	NONE	14
De Raat GCE key safe (S2)	£4,000	£40,000	NONE	15
De Raat Through-the-wall deposit safe	NIL	NIL	NONE	16
De Raat key security box	NIL	NIL	NONE	16
Fire resistant storage				
De Raat SF680-4DK	NIL	NIL	90 minutes	17
FireKing 60 minutes fire resistant filing cabinets	NIL	NIL	60 minutes	17
FireKing 60 minutes fire resistant card file	NIL	NIL	60 minutes	18
FireKing MLT lateral filing cabinet	NIL	NIL	60 minutes	18
FireKing Professional 2 hrs fire resistant filing cabinets	NIL	NIL	120 minutes	18
SUN electronic fire resistant safes	£2,000	£20,000	60 minutes	19
SUN PLUS electronic fire resistant safes	£2,000	£20,000	120 minutes	19

*Always check your own insurance company approves of the insurance rating for the safe you have chosen.
Deliveries to ground floor only with no more than one step into the building*



Protector Premium Safes

Protector Premium Safes



- Suitable for home and light business use
- Protected solenoid for extra security
- Prepared for base or rear fixing. Fixing kit supplied.
- Wider models available for laptops

Suggested Insurance rating £2,000 cash and £20,000 valuables

Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG	Capacity in L
	H	W	D	H	W	D			
250K	250	350	250	246	346	200	1	10.5	16
250E	250	350	250	246	346	186	1	10.5	15
350E	350	360	380	346	356	316	1	16.5	38
610E	610	450	380	606	446	316	1	29	83
810E	810	490	400	806	486	336	1	40	100
LPT-K or E	260	500	410	256	496	346	1	19	43

Protector Duo Safe



- Sturdy safe with lockable internal compartment
- 8 lever double bitted key lock (2 keys) compartment has a cylinder lock (3 keys)
- Double walled construction DIN 4102
- Prepared for base or rear fixing. Fixing kit supplied.

Suggested Insurance rating £4,000 cash and £40,000 valuables



De Raat PT & ET (S2) Security Safes



- Tested & certified range of safes. 7 sizes available
- Available with key lock or digital electronic lock
- Double walled construction DIN 4102
- Prepared for base or rear fixing. Fixing kit supplied.

Certified Insurance rating £4,000 cash and £40,000 valuables EN 14 450

Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG	Capacity in L
	H	W	D	H	W	D			
DUO	350	450	320	290	390	215	Comp H145mm	35	24
PT0	250	290	220	155	280	140	0	17	5
ET0	250	350	220	155	280	140	0	25	6
PT/ET1	330	450	380	240	380	292	1	39	27
PT/ET2	450	450	380	350	380	292	1	48	39
PT/ET3	600	450	380	500	380	292	1	61	55
PT/ET4	810	450	380	700	380	292	2	79	78
PT/ET7	700	500	450	600	410	370	1	81	94
PT/ET8	900	570	490	800	500	400	2	110	160

*Always check your own insurance company approves of the insurance rating for the safe you have chosen.
Deliveries to ground floor only with no more than one step into the building*

NEW!



CombiFire 2 CombiFire 3 CombiFire 4

De Raat CombiFire 60 Minutes Fire Resistant (S2) Safe



EN14 450
S2

EN15659
- LFS60P

- Tested & certified against fire & theft
- 4-way locking system, moving bolts on 3 sides, fixed bolts at hinged side
- Solid double bitted key lock (2 keys supplied).
- Electronic lock option available, additional lead time & cost.
- Externally hinged door opens 180°
- Floor drilled for fixing, bolts supplied
- Lockable internal compartment available from Size 2 upwards -additional cost
- Colour: White RAL 9010

Certified Insurance rating £ 4,000 cash and £ 40,000 valuables

Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG	No. of Laptops
	H	W	D	H	W	D			
CombiFire 1	380	480	465	240	340	300	0	81	24
CombiFire 2	470	480	465	330	340	300	1	91	34
CombiFire 3	820	480	465	680	340	300	1	131	69
CombiFire 4	1170	480	465	1030	340	300	2	198	105



G1-1

G1-0



G1-5

G1-3

De Raat Prisma Eurograde Safes (Grade 1) EN1143-1



Grade 1
EN1143-1

DIN 4102

- Tested & certified range of **lightweight** Grade 1 & Grade 2 safes.
- 4 way locking, 3 sides with bolts one side with static bolts
- Door opens 180. Removable and adjustable shelves
- Prepared for base or rear fixing. Fixing kit supplied.
- Key lock as standard, electronic lock available at additional cost
- Other sizes available
- Internal compartment available – extra cost and lead time
- Colour: RAL 7035

Certified Insurance rating

(Grade 1) £10,000 cash, £100,000 valuables

Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG	Capacity in L
	H	W	D	H	W	D			
G1-0	350	390	265	270	300	145	1	41	12
G1-1	430	420	445	350	330	325	1	61	38
G1-3	780	420	445	700	330	325	1	91	75
G1-5	1130	570	485	1050	480	365	2	153	184

*Always check your own insurance company approves of the insurance rating for the safe you have chosen.
Deliveries to ground floor only with no more than one step into the building*



New!

DRS-105

De Raat Pro Eurograde Safes (Grades 1, 2, 3 & 4) EN1143-1



EN1143-1 DIN 4102

- Extremely substantial range of tested & certified range of safes.
- Fitted with high security Sargent & Greenleaf lock with programmable keys. Lost or stolen keys cannot be cut from blanks.
- Door thickness 120mm, wall thickness 40mm
- Prepared for alarm connection with cable entry in place
- 4 way locking, 3 sides with bolts one side with static bolts
- Removable and adjustable shelves
- Prepared for base fixing. Fixing kit supplied.
- Key lock as standard, electronic lock available at additional cost
- Other sizes available



Certified insurance rating CASH £10,000, £17,500, £35,000 & £60,000

Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG Grade 1/2/3/4	Capacity in L*
	H	W	D	H	W	D			
DRS- 62	620	570	520	540	460	360	1	229/278/294/NA	89
DRS- 84	840	570	520	760	460	360	1	290/352/372/402	126
DRS-105	1050	570	520	970	460	360	2	348/405/446/483	161
DRS -120	1200	570	520	1120	460	360	2	389/473/499/540	185
DRS -156	1560	810	540	1480	700	380	3	631/768/810/878	394
DRS - 187	1870	810	540	1790	700	380	4	740/899/947/1027	476

* all grades

WE CAN ALSO SUPPLY ECB-S CERTIFIED GRADES 5 & 6 SAFES please ask for details

Cupboards

Protector Fire Resistant Security Cupboards



- Economical solution to protect important documents & files from unauthorised access & fire
- High quality double bitted key lock (2 keys) operating 3-way locking system
- Double walled construction with fire resistant filling DIN 4102
- Standard colour light grey (RAL 7035)
- 2 sizes available



Suggested Insurance rating £2,000 cash and £20,000 valuables

Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG	Capacity in L
	H	W	D	H	W	D			
Standard	1950	930	520	1785	830	400	4	180	592 (50*)
Maxi 1	1950	1200	520	1785	1100	400	4	220	785 (65*)

* Lever arch

Lloyd Fire Resistant Security Cupboards



- 6 sizes available
- High quality double bitted key lock (2 keys) operating 3-way locking system
- Double walled construction with fire resistant filling DIN 4102
- Standard colour light grey (RAL 7035)



90G

Suggested Insurance rating £2,000 cash and £20,000 valuables

Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG	Capacity in L
	H	W	D	H	W	D			
90A	1200	670	520	1035	570	400	2	91	236 (21*)
90B	1200	930	520	1035	830	400	2	116	343 (30*)
90C	1570	930	520	1405	830	400	3	146	466 (40*)
90D	1950	930	520	1785	830	400	4	180	592 (50*)
90E	1950	1200	520	1785	1100	400	4	220	785 (65*)
90F	1950	670	520	1785	570	400	4	140	407 (35*)
90G	1570	670	520	1405	570	400	3	118	320 (28*)

* Lever arch

*Always check your own insurance company approves of the insurance rating for the safe you have chosen.
Deliveries to ground floor only with no more than one step into the building*

De Raat Fire Resistant Laptop Security Cupboards



- Provides protection against fire & theft
- 4 sizes available for storing up to 48 laptops in vertical dividers
- Solid double bitted key lock (2 keys supplied)
- Double walled construction with fire resistant filling DIN 4102

Suggested Insurance rating £2,000 cash and £20,000 valuables

Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG	No. of Laptops
	H	W	D	H	W	D			
LL14	1200	930	520	1035	830	370	2	130	16
LL18	1570	930	520	1405	830	370	3	190	24
LL22	1950	930	520	1785	830	370	4	230	32
LL24	1950	1200	520	1785	1100	370	4	300	48

De Raat SDK Fire Resistant Cupboards with Sliding Doors



- Sliding doors make the unit suitable for areas with restricted space for door opening
- Double walled construction with fire resistant filling DIN 4102
- Solid double bitted key lock (2 keys supplied)

Suggested Insurance rating £2,000 cash and £20,000 valuables

Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG	Capacity
	H	W	D	H	W	D			
SDK 533	1250	1250	600	1140	1140	410	3	155	533
SDK 634	1950	950	600	1840	840	410	4	210	634
SDK 860	1950	1250	600	1840	1140	410	4	235	860



S2- 200

S2- 490



S2- 340

S2- 490

S2- 700

De Raat CombiPaper Tested & Certified Fire Resistant Security Cupboard



EN14 450
S1/2



EN15659
-LFS30P

- Tested & certified against fire & theft (size 490 = S1 only)
- Deep enough to hold foolscap files
- Solid double bitted key lock (2 keys supplied).
- Electronic lock option available, extra lead time and cost
- Adjustable shelves
- Models S2-200 & S2-340 can be supplied with left hand door (no extra cost)
- Floor drilled for fixing
- Optional accessories – internal compartment 350mm high and pull-out filing frame additional charge & lead time.
- Colour: Light grey RAL 7035

Certified insurance rating S2 £4,000 cash, £40,000 valuables
(S1 = £2,000 cash, £20,000 valuables)

Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG	Capacity in L
	H	W	D	H	W	D			
CombiPaper S1*-490	1870	950	510	1729	815	348	4	234	490
CombiPaper S2 -200	1175	705	527	1029	565	348	2	172	202
CombiPaper S2- 340	1875	705	527	1729	565	348	4	253	340
CombiPaper S2 -490	1875	955	527	1729	815	348	4	315	490
CombiPaper S2-700	1875	1305	527	1729	1165	348	4	400	701

Protector Basic Deposit Box (CBB)



- Designed to mount under a counter
- Detachable notes container
- Cylinder locks
- Colour may vary (black or grey)



Protector For 30 Deposit Box



- Solid double bitted key lock
- Prepared for fixing to the floor or wall (4 fixing holes)
- Deposit slot in detachable lid 105 x 5mm



Protector MP Day Deposit Safes



- Single walled safe with deposit facility
- Available with key or electronic lock
- 2 sizes available



Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG	Deposit Aperture
	H	W	D	H	W	D			
Basic deposit box	225	100	190				0	2.6	
FOR 30 deposit box	290	150	150	285	145	145	0	6	
MP size 1	600	250	250	380	244	212	0	25	66 x 167 x 190
MP size 2	600	460	460	380	454	422	0	45	66 x 377 x 190

Deposit Safes

De Raat PT & ET Deposit Safes



- Available with key or electronic locks on main safe
- Key retaining lock on deposit drawer (2 keys supplied)
- Supplied with rear or base fixing holes
- Deposit drawer H100 x W215 x D165mm
- 2 sizes available



Suggested insurance rating £4,000 cash*

De Raat DNS (Eurograde) Deposit Safes



EN1143-2
Grades
0, 1 & 2

- Supplied with double bitted key locks on drawer & main safe
- Key retaining lock on deposit drawer (2 keys supplied)
- Ready prepared for floor fixing
- Deposit drawer H128 x W208 x D70mm



Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG
	H	W	D	H	W	D		
PT & ET D2 deposit	610	450	450	350	375	365	1	58
PT & ET D3 deposit	760	450	450	500	375	365	1	78
								Grade 0/ 1/ 2
DNS size 1	650	480	460	280	280	300	0	118/ 120/ 152
DNS size 2	830	480	460	460	280	300	0	137/ 138/ 152
DNS size 4	990	600	460	620	440	300	1	173/ 178/ 193



Grade 1 Size 2



Grade 1 Size 1

De Raat Prisma (Eurograde) Deposit Safes



- Substantially manufactured, tested & certified deposit safes
- Tested according to EN1143-2
- Drawer to deposit cash, envelopes or suitably sized bags without opening the main safe.
- Internal drawer dimensions H70 x W220 x D320mm
- Double bitted key locks on deposit drawer & safe compartment as standard
- Electronic lock can be fitted to safe door and the deposit drawer, additional cost & lead time
- Ready prepared for fixing to floor, bolts supplied
- DNS - other sizes available

Model	External sizes in mm			Internal sizes in mm			Weight kgs Grade 0,1,2	Deposit Aperture mm
	H	W	D	H	W	D		
Prisma 1-size 1	930	570	510	265	480	390	163	70 x 220 x 320
Prisma 1-size 2	1280	570	510	615	480	390	201	70 x 220 x 320
Prisma 2-size 1	950	590	550	265	480	300	284	70 x 220 x 320
Prisma 2-size 2	1300	590	550	615	480	390	356	70 x 220 x 320

WE CAN ALSO SUPPLY ECB-S CERTIFIED GRADE 3 DEPOSIT SAFES please ask for details

Key Cabinets & Safes

Protector Cylinder Lock Key Cabinets



- Available to hold 20 – 1092 keys
- Cylinder key lock (2 keys supplied). Electronic option available
- Ready for wall fixing only



E-Compact



KC 40E

Protector Electronic Key Cabinets

- Available for 24, 40, 80 and 120 keys
- E-Compact is our bestselling small key cabinet
- Programmable electronic lock (2 emergency opening keys supplied)
- Ready for wall fixing only

Model	External sizes in mm			Internal sizes in mm			Key Hooks	Weight in KG
	H	W	D	H	W	D		
RL 30	275	300	80				30	3
RL 50	425	340	80				50	5
E-Compact	200	280	100	190	270	95	24	5
KC 40E	360	300	100				40	6.5
KC 80E	450	300	100				80	9.5
KC 120E	650	420	120				120	14.5



De Raat GCE Key Safe (S1)



EN14 450
(S2)

- Longer key hooks (3cm) ideal for storing bunches of keys
- Distance between hooks, horizontal 3.5cm, vertical 12cm
- Electronic lock with 2 emergency opening keys
- Protected solenoid for additional security
- Model 87 has a compartment inside the door with hooks
- Prepared for wall or floor bolting.
- Standard colour: black

Model	External sizes in mm			Internal sizes in mm			Key Hooks	Weight in KG
	H	W	D	H	W	D		
DRS GCE 28	350	400	150				28	38
DRS GCE 48	490	430	150				48	48
DRS GCE 87	490	430	180				87	62

Key Cabinets & Safes

De Raat Through-The-Wall Key Deposit Safe



- Deposit safe for fitting through a wall.
- Ideal for garages, car hire, hotels, anywhere out of hours key deposit is required
- Deposit slot is on the exterior of the wall, a telescopic shaft goes through the wall, safe is inside the building.
- Shaft extends from 240mm to 330mm
- Safe available with key (PT) or electronic (ET) lock



Model	External sizes in mm			Internal sizes in mm			Outside Slot mm	Weight in KG
	H	W	D	H	W	D		
PTA-3 or ETA-3	610	450	380	500	350	292	50x195	55
PTA-4 or ETA-4	810	450	380	700	350	292	50x195	72

De Raat Key Security Box

- Deposit system for single keys or bunches of keys
- Ideal for garages, car hire, hotels, anywhere out of hours key deposit is required
- Can be installed on and in walls or on a console
- Substantial construction, made of solid steel (except the deposit wheel)



Model	External sizes in mm			Internal sizes in mm			Weight in KG
	H	W	D	H	W	D	
Wall anchoring access							
LHS KSB-001/ RHS KSB-002	335	215	175	328	199	162	19
Built in wall KSB-007	510	220	177	505	215	173	23

Anchoring post ordered separately available in 2 heights

De Raat 90 Minutes Fire Resistant Filing Cabinets



- Our bestselling fire resistant filing cabinets
- Stylish design, tested and certified and always at a great price!
- Double walled construction with fire resistant filling
- Will hold A4 and foolscap documents
- Large capacity drawers



Best Seller!

Fireking 60 Minutes Fire Resistant Filing Cabinets



- The best of the best!
 - Superb quality & finish
 - Available in 2 & 4 drawer models
- in 2 depths, 25" and 31"



FK4-25SP

FK2-21SP

Model	External sizes in mm			Internal sizes in mm			Shelves	Weight in KG
	H	W	D	H	W	D		
DRS SF680-4DK	1506	528	678	242	386	525	4	270
DRS SF680-2DK	780	528	678	242	386	525	2	145
FK4-25SP	1340	530	640	264	385	495	4	197
FK2-25SP	710	530	640	264	385	495	2	116
FK4-21SP	1340	530	800	264	385	670	4	237
FK2-21SP	710	530	800	264	385	495	2	136

Filing Cabinets

Fireking 60 Minutes Fire Resistant Card File



UL 72 Class 350
60 minutes for paper

- Fire, impact, explosion and water resistant
- High capacity drawers for documents available in 2 and 6 drawer versions
- Ideal for legal practitioners – each draw holds up to 450 x DL envelopes (wills)
- Standard colour parchment

New!



Fireking 60 Minutes Fire Resistant Wide Files (MLT)



UL 72 Class 350 60 minutes for paper
ETL 30 minutes for data

- Tested for fire resistance for paper & data
- Superb quality & finish
- Available in 2 & 4 drawer models (3 drawer longer lead time)



Fireking 120 Minutes Fire Resistant Filing Cabinets



UL 72 Class 350 120 minutes for paper
ETL 30 minutes for data

- Tested & certified fire resistant protection for paper and data
- Available in 2 & 4 drawer models (3 drawer longer lead time)



Model	External sizes in mm			Internal sizes in mm			Shelves in KG	Weight
	H	W	D	H	W	D		
FK6-2552-C	1340	641	802	150	500	660	6	391
FK4-2536-C	917	641	802	150	500	660	4	292
FK4-MLT	1448	952	562	295	810	387	4	442
FK2-MLT	759	952	562	295	810	387	2	264
FK4-2157-2H	1448	539	813	299	387	660	4	442
FK2-2130-2H	759	539	813	299	387	660	2	264



ES-065



ES-080

Sun Electronic Fire Resistant Paper Safes – 60 Minutes & 120 Minutes



NT 017-60P &
NT 017-120P

- Suggested insurance rating £2,000 cash or valuables
- Double wall construction with substantial fire resistant layer.
- Ready prepared for bolting to floor, one central fixing point. Bolts supplied
- Electronic lock with 6 digits code. 2 codes possible.
- **Model ES-065 upwards**
- Dual locking, key & electronic combination
- Colour cream (RAL 9002)
- 6 sizes available.
- ES-031D will hold lever arch files – available in cream, red or blue

Model	External sizes in mm			Internal sizes in mm			Shelves	Capacity in L	Weight in KG
	H	W	D	H	W	D			
ES-020 (60 mins)	343	480	388	220	355	260	1	20	49
ES-031D (60 mins)	520	410	445	415	305	320	1	40	60
ES-065 (120 mins)	669	549	507	519	398	346	1	71	137
ES-080 (120 mins)	791	580	507	638	416	346	1	123	205
ES-150 (120 mins)	1171	642	630	1012	483	463	2	226	295
ES-400 (120 mins)	1612	832	630	1438	673	463	3	448	470



De Raat
security

www.deraat.eu